

North Alamo Water Supply Corporation

Information about your Drinking Water

The source of drinking water, (both tap water & bottled water), include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals, and in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline at (800) 426-4791.

Contaminants may be found in drinking water that may cause taste, color, or odor problems. These types of problems are not necessarily causes for health concerns. For more information on taste, odor, or color of drinking water, please contact the system's business office.

You may be more vulnerable than the general population to certain microbial contaminants, such as Cryptosporidium, in drinking water. Infants, some elderly, or immunocompromised persons such as those undergoing chemotherapy for cancer, persons who have undergone organ transplants; those who are undergoing treatment with steroids; and people with HIV/AIDS or other immune system disorders, can be particularly at risk from infections. You should seek advice about drinking water from your physician or health care providers. Additional guidelines on appropriate means to lessen the risk of infection by Cryptosporidium are available from the Safe Drinking water Hotline (800-426-4791).

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high quality drinking water, but we cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

2023 CONSUMER CONFIDENCE REPORT

For Public Water System

This is your WATER QUALITY REPORT FOR JANUARY 1 TO DECEMBER 31, 2023

Definition and Abbreviations: The following tables contain scientific terms and measures, some of which may require explanation The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow. Action Level: Regulatory compliance with some MCLs are based on running annual average of monthly samples. Avg: A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water Level 1 Assessment A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an E.coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on Level 2 Assessment The highest level of a contaminant that is allowed in drinking water, MCLs are set as close to the MCLGs as feasible using the best available treatment technology. Maximum Contaminant Level or MCL: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety. Maximum Contaminant Level Goal or MCLG The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants Maximum residual disinfectant level or MRDL: The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benealts of the use of disinfectants to control microbial contaminants. Maximum residual disinfectant level goal or HRDLG: MFL: million fibers per liter (a measure of asbestos) mrenx Millirems per year (a measure of radiation absorbed by the body) not applicable na: NTU: nephelometric turbidity units (a measure of turbidity) <u>pCl/L:</u> picocuries per liter (a measure of radioactivity) ppb: micrograms per titer or parts per billion-DDM: militigrams per litter or parts per militionppg: parts per quadrillion, or picograms per liter (pg/L) parts per trillion, or panograms per liter (ng/L) Treatment Tech-A required process intended to reduce the level of a contaminant in drinking



For More Information regarding this report contact: North Alamo WSC at (956) 383-1618.

Este reporte incluye informacion importante sobre el agua para tomar.

Para asistencia en español, favor de llamar al telefono.

SOURCE WATER NAME LIST

Source Water Name		Type of Water	Report Status	Location
1-Lasara	Lasara	GW	Α	6606 Hwy 186 Raymondville Texas
2-Owassa/ Shallow	Owassa Shallow	GW	A	1108 E Owassa Rd San Juan Texas
3-Doolittle/ Shallow	Doolittle	GW	A	420 S Doolittle Rd Edinburg Texas
4-Dootittle/ Deep	Doolittle/Deep	GW	, A ,	6031 N Victoria Rd Donna Texas
5-Donna 1	6031 Victoria Rd	GW	A	6031 N Victoria Rd Donna Texas
GW-North Cameron	CC From TX031015	GW	Α	14995 State Hwy 107 Harlingen Texas
Regional WSC	2 North			
In Take 1		SW	A	425 S Doolittle Rd Edinburg Texas
In Take 2		SW	Α	2124 W FM 2812 Edinburg Texas
In Take 4		SW	Α	1112 E Owassa Rd San Juan, Texas
In Take 5		SW	A	6031 N Victoria Rd Donna Texas
In Take 6		SW	Α	8560 Garcia St Monte Alto Texas
In Take 7 (Delta)		SW	A	7635 Monte Cristo Rd Edcouch Texas

PWS ID#: TX1080029

Contaminants that may be present in Source Water Include:

- <u>Microbial Contaminants</u>, Such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic Contaminants, Such as salts and metals, which can be naturally
 -occurring or result from urban storm water runoff, industrial or domestic
 wastewater discharges oil and gas production, mining, or farming.
- <u>Pesticides and Herbicides.</u> Which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic Chemical Contaminant, Including synthetic and volatile organic chemicals, which are by—products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive Contaminants, Which can be naturally-Occurring or be the result of oil and gas production and mining activities.

Disinfection By-	Products		Collection Dat	e High	st Level A	verage Detected		Range of Inc	tividual Sam	ples	1	MCLG	MCL	Units	Violation	Like	ly Source of Contamination
Chlorite			2023		0.	.92		0	- 0.92			0.8	1	ppm	N	By-Produ	ct of drinking water disinfection.
Haloacetic Acid	(HAA5)		2023		3	30		0	47.8		No go	al for the total	60	ppb	N	By-produ	ct of drinking water disinfection.
ne value in the Highest le	vel or Average (Detected o	column is the high	nest average of all HAA	5 sample	results collected	at a location over	year'									
Total Trihalometha	es (TTHM)		2023		8	30		0	- 165		No go	al for the total	80	ppb	N	By-produ	ct of drinking water disinfection.
he value in the Highest L	vel or Average	Detected	column is the hig	hest average of all TTI	fM sample	results collected	f at a location over	a year						200			
Inorganic Contaminants	Collection	on Date	Highest L	evel or Average Detec	ed	Range of Inc	lividual Samples	MCLG	MCL	Units	Violation				Likely Source	of Contamination	
Antimony	202	23		1		0	- 1.2	6	6	ppb	N		Discha	rge from petroleun	refineries; fire retar	dants; ceramics; electronics	; solder; test addition
Arsenic	202	23		3		0	- 5.8	0	10	ppb	N		Erosion of r	natural deposits; R	noff from orchards;	Runoff from glass and elect	ronics production wastes.
Barium	202	23		0.118		0.002	5 - 0.118	2	2	ppm	N		Disc	harge of drilling wa	stes; Discharge from	n metal refineries; Erosion o	f natural deposits.
Cyanide	20%	23		240		0	-240	200	200	ppb	N		Ε	Discharge from plas	tic and fertilizer fact	orles; Discharge from steel/	metal factories.
Fluoride	202	23		0.6		0.2	3 –0.57	4	4.0	ppm	N	E	osion of natural de	eposits; Water addi	live which promotes	strong teeth; Discharge from	n fertilizer and atuminum factories
rate [measured as Nitrog	en] 202	23		1			1-0.5	10	10	ppm	И		Runc	off from fertilizer us	e; Leaching from se	plic tanks, sewage; Erosion	of natural deposits.
Selenium	202	23		3.4		(-3.4	50	50	ppb	N		Discharg	e from petroleum a	nd metal refineries;	Erosion of natural deposits;	Discharge from mines.
Radioactive Contamina	ats C	Collection	Date	Highest Level or Av	erage Del	tected	Range of Individua	Samples	1.00	ag .	MC		Units	Violation		Likely Source	e of Contamination
Beta/photon emitters		2023		5.9			0- 6.9		0		50		pCVL*	N		Decay of natural and man-made deposits.	
PA considers 50 pCi/L to I	e the level of co	oncem for	beta particles.														
ross Alpha Excluding Ra	ion & Uranium		2023	2			0 - 2			0		1:	5	p	CIAL	N	Erosion of natural deposits.
Uranium			2023	2.2		0	- 2.2			0		3)	l	lg/l	N	Erosion of natural deposits.
bidity		Level	Detected	Limit (Treatment Test	mique)	Violation						-	Likely Soul	roe of Contamination	អា		
Highest single measu	rement	0.7	NTU	1 NTU		N	Soil runoff.										
Lowest monthly % mee			9%	0.3 NTU		N	Soil runoff.										
rmation Statement: Turbio	lity is a measure	ement of t	ne cloudiness of	the water caused by si	spended	particles. We mo	nitor It because it k	a good indlo	ator of water	quality and t	he effectivenes	s of our filtration	ystem and disinfe	ctants.			
Lead/Copper	Cate Sample	led	MCLG	Action Level (L)	90th Per	cemble	#Sites Ove	er AL	Umts	Violation	s			Likely Sou	rce of Contamination	
Copper	2023		1.3	1.3		0.14	16	1		ppm	N		Erosion o	f natural deposits;	eaching from wood	preservatives; Corrosion of	household plumbing systems.
Lead	2023		C	15		0		2		daa	N			Corresion	of household alumb	ing systems; Erosion of nati	ual deonsits

Disinfectant Residual								
Disinfectant Residual	Year	Average Level	Range of Levels Detected	MRDL	MRDLG	Unit of Measure	Violation	Source in Drinking Water
Chloramines	2023	3.81	0.5-7.3	4	4	РРМ	N	Water Additive used to control microbes.

Coliform Bacteria						
Maximum Contaminant Level Goal	Total Coliform Maximum Contaminant Level	Highest No. of Positive	Fecal Coliform or E.Coli Maximum Contaminant Level	Total No of Positive E Coli or Feoal Coliform Samoles	Violation	Likely Source of Contamination
0	5% of monthly samples are positive	7.5		0	N	Naturally present in the environment

<u>Violations</u>

Failure Submit OEL Report for TTHM

09/26/2023

03/11/2024

Chlorite

Some Infants and young children who drink water containing chlorite in excess of the MCL, Some people may experience nervous system effects. Similar effects may occur in fetuses of pregnant women who drink water containing chlorite in excess of the MCL, Some people may experience anema.

Office and profig and of the Charles			and a second
Violation Type	Violation Begin	Violation End	Violation Explanation
Monitoring, Routine (DBP), Major	04/01/2023	04/30/2023	We failed to test our drinking water for the contaminant and period indicated, Because of this failure, we cannot be sure of the quality of our drinking water during the period indicated
Total Trihalomethanes (TTHM)			
Some people who drink water containing trihalomet	anes in excess of the MCL over	many years may experience	problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.
Violation Type	Violation Baoin	Violation End	Violation Emianation

We falled to submit our operational evaluation level (OEL) report to our regulator. The report is needed to determine best treatment practices necessary to minimize possible future exceedances of TTHM.

Mandatory Language for Monitoring and Reporting Violation CHEMICAL MONITORING, ROUTINE MINOR **Chemical Sampling**

Section 290, Subchapter F. Public water systems are required to collect and submit chemical samples reporting requirements set by Texas Commission on Environmental Quality (TCEQ) in Chapter 30, of water provided to their customers, and report the results of those samples to the TCEQ on a regular The North Alamo Water Supply Corp water system PWS ID 1080029 has violated the monitoring and

This/These violation(s) occurred in the monitoring period(s) 4/2023 <monitoring of="" period="" violations=""></monitoring>	his/These viol
We failed to monitor and/or report the following constituents: Chlorite	We failed to mo

reporting for chemical constituents, and therefore TCEQ cannot be sure of the safety of Results of regular monitoring are an indicator of whether or not your drinking water is your drinking water during that time. safe from chemical contamination. We did not complete all monitoring and/or

We are taking the following actions to address this issue:

been taken and we have returned the system to compliance. to ensure that all chemical monitoring samples are collected and reported as required monthly. Samples have We have met with our operational staff for the water plants and have gone over our standard operating procedures

<corrective actions>

received this notice directly (i.e., people in apartments, nursing homes, schools, and businesses). You Please share this information with all people who drink this water, especially those who may not have can do this by posting this notice in a public place or distributing copies by hand or mail.

Service at 956-383-1618. If you have questions regarding this matter, you may contact Robert Rodriguez or Customer

Posted / Delivered on: 5/3/24 < Date Posted>

Instructions for preparing the required Public Notice:

Recopy the mandatory language above and insert the underlined information in the spaces indicated

Representatives, that are located in or that represent the affected area(s) served by the system. state officials, such as Mayors, City Council Members, County Commissioners, Judges, and/or State The TCEQ recommends that the public water system provide a copy of the Public Notice(s) to local and

Public Notice delivery timelines:

posting date of the above notice. the violation was identified. Repeat public notice shall be issued every twelve months for as long as the violation persists. All notifications require the attached Certificate of Delivery due 10 days from the The initial public notice shall be issued as soon as possible, but in no case later than 12 months after

Refer to 30 TAC §290.122 for additional information on Public Notification

Public Notice Mandatory Language for Monitoring and Reporting Violation Operational Evaluation Report

monitoring and reporting requirements set by Texas Commission on Environmental Quality (TCEQ) in Chapter 30, Section 290, Subchapter F. Public water systems in exceedance of an treatment and distribution operations and submit a report of their findings to the TCEQ operational evaluation level are required to conduct an evaluation of their source water, The North Alamo Water Supply Corp water system PWS ID 1080029 has violated the

We failed to conduct an operational evaluation and/or submit a report to the TCEQ

This/These violation(s) occurred in the monitoring period(s) 202023

We are taking the following actions to address this issue:

operational evaluation report for TTHM's for 2Q2023 and have returned to compliance completed as required when an exceedance occurs. At this time we have completed the We have met with our operations staff and are ensuring that operational evaluation report is

<corrective actions>

by hand or mail. and businesses). You can do this by posting this notice in a public place or distributing copies may not have received this notice directly (i.e., people in apartments, nursing homes, schools Please share this information with all other people who drink this water, especially those who

Customer Service for North Alamo Water Supply Corporation at ph. 956-383-1618. If you have questions regarding this matter, you may contact Asst. G.M. Robert Rodriguez or

Posted/Delivered on: 5/3/24 Date Posted>

Instructions for Preparing the Required Public Notice:

maicated. Recopy the mandatory language above and insert the underlined information in the spaces

The TCEQ recommends that the public water system provide a copy of the Public Notice(s) to local and state officials, such as Mayors, City Council Members, County Commissioners, Judges, the system. and/or State Representatives, that are located in or that represent the affected area(s) served by

Public Notice delivery timelines:

10 days from the posting date of the above notice. long as the violation persists. All notifications require the attached Certificate of Delivery due after the violation was identified. Repeat public notice shall be issued every 12 months for as The initial public notice shall be issued as soon as possible, but in no case later than 12 months

Refer to 30 TAC §290.122 for additional information on Public Notification